



A Practical Guide to GIS in AutoCAD® Civil 3D® 2018

Rick Ellis and Russell Martin



A CADapult Press Publication

Copyright

Copyright © CADapult Press, Inc. 2017

All rights reserved. No part of this publication may be reproduced in any form, or by any means electronic, mechanical, recording, photocopying, or otherwise, without written permission from the publisher, except for brief quotations used in reviews, or for marketing purposes specific to the promotion of this work.

ISBN: 978-1-934865-34-7

Although CADapult Press has made every attempt to ensure the accuracy of the contents of this book, the publisher and author make no representations or warranty with respect to accuracy or completeness of the contents in this book, including without limitation warranties of fitness for a particular purpose. The datasets included in this book are for training purposes only.

Autodesk screen shots reprinted with the permission of Autodesk, Inc.

Autodesk, AutoCAD, DWG, the DWG logo, Civil 3D and AutoCAD Map 3D are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries. All other trademarks are the property of their respective owners.

Published in the United States of America by:

CADapult Press

(503) 829-8929

books@cadapult-software.com

Printed and manufactured in the United States of America

About the Authors

Rick Ellis has worked with and taught AutoCAD Civil 3D, along with Map 3D and other Autodesk products since the mid-90s. He is the Author of several critically acclaimed books on AutoCAD Civil 3D, Map 3D and Land Desktop.

Rick continues to use AutoCAD Civil 3D on projects in a production environment, in addition to teaching classes to organizations both large and small.

This practical background and approach has made him an award winning speaker at Autodesk University, a member of the national speaker team for the AUGI CAD Camps and a sought after instructor by organizations around the world.

Rick can be reached at: rick@cadapult-software.com

Russell Martin is an independent consultant who has worked with CAD, GIS and cartographic design tools since 1985. He has taught AutoCAD and AutoCAD Map 3D in small classrooms and at large events such as Autodesk University. Russell has co-authored several books on AutoCAD Map 3D, and has served as technical editor of many other books on CAD, computer graphics, Land Desktop and Civil 3D.

Russell also performs design, production mapping and GIS analysis services for a diverse client base, both public and private. He uses AutoCAD, Map 3D and Civil 3D tools daily, to produce maps and graphics which clearly communicate complex quantitative data.

Russell can be reached at: russell.p.martin@gmail.com

Exercise Data

CADapult Press would like to thank the City of Springfield, Oregon for providing the data for this book. The dataset provided is for illustration purposes only. While it is based on real world information to add relevance to the exercises, it has been altered and modified to more effectively demonstrate certain features as well as to protect all parties involved. The data should not be used for any project work and may not represent actual places or things. It is prohibited to redistribute this data beyond your personal use as a component of training.

A Practical Guide to GIS in AutoCAD Civil 3D 2018

Introduction

Congratulations on choosing this course to help you learn how to use GIS in AutoCAD Civil 3D 2018. The term “practical” is used in the title because this course focuses on what you need to effectively use the GIS tools in AutoCAD Civil 3D 2018, and does not complicate your learning experience with unnecessary details of every feature in the product. Should you want to pursue aspects of features and functionality in greater detail than provided in this course, you are directed and guided to that information.

Each lesson contains the concepts and principles of each feature to provide you with the background and foundation of knowledge that you need to complete the lesson. You then work through real world exercises to reinforce your understanding and provide you with practice on common tasks that other professionals are performing with AutoCAD Civil 3D 2018 in the workplace every day.

You can take the lessons in this course in whatever order is appropriate for your personal needs. If you want to concentrate on specific features, the lesson for those features does not require that you complete prior lessons. With this course organization, you can customize your own individual approach to learning AutoCAD Civil 3D.

When you complete this course, you will be armed with the background and knowledge to apply AutoCAD Civil 3D to your job tasks, and become more effective and productive in your job.

Course Objectives

The objectives of this course are performance based. In other words, once you have completed the course, you will be able to perform each objective listed. If you are already familiar with AutoCAD Civil 3D, you will be able to analyze your existing workflows, and make changes to improve your performance based on the tools and features that you learn and practice in this course.

After completing this course, you will be able to:

- Work with coordinate systems
- Clean drawings with common geometry errors
- Insert rectified raster images
- Work with a variety of attribute data
- Apply object classification to your mapping system
- Import GIS data from a variety of sources
- Create surfaces and pipe networks directly from GIS data
- Export geometry and attribute data to other GIS formats
- Export Civil 3D objects to other GIS formats
- Connect directly to GIS data
- Connect to raster surface data
- Attach and query source drawings
- Save changes to attached source drawings
- Extract data for reports and quantity takeoffs
- Create, manage and analyze topologies
- Utilize Dynamic Viewport Tools
- Produce sophisticated map books

Prerequisites

Before starting this course, you should have a basic working knowledge of AutoCAD. A deep understanding of AutoCAD is not required, but you should be able to:

- Pan and Zoom in the AutoCAD drawing screen.
- Describe what layers are in AutoCAD, and change the current layer.
- Create basic CAD geometry, such as lines, polylines and circles.
- Use Object Snaps.
- Describe what blocks are, and how to insert them.
- Perform basic CAD editing functions such as Erase, Copy, and Move.

If you are not familiar with these functions, you can refer to the AutoCAD Help system throughout the course to gain the fundamental skills needed to complete the exercises.

Conventions

The course uses the following icons and formatting to draw your attention to guidelines that increase your effectiveness in AutoCAD Civil 3D, or provide deeper insight into a subject.



The magnifying glass indicates that this text provides deeper insights into the subject.



The compass indicates that this text provides guidance that is based on the experience of other users of AutoCAD Civil 3D. This guidance is often in the form of how to perform a task more efficiently.



The warning indicates that a specific exercise might not function properly on 64 bit operating systems.



The workspace icon indicates the Workspace that will be used in the upcoming exercise.

Downloading and Installing the Datasets

In order to perform the exercises in this book, you must download a zip file and install the datasets.

Type the address below into your web browser to load the page where you can download the dataset.


www.cadapult-software.com/data

If you are using a previous version of Civil 3D you can download a previous version of the dataset to use with this book.

Unzip the Files

Unzip the file **APG_GIS2018.zip** directly to the C drive. The zip file will create the following folder structure:

C:\A Practical Guide\GIS in Civil 3D 2018\Chapter Number\Files for Exercises



Exercises

The exercises in this course have been carefully chosen and designed to represent common tasks that are performed by mapping and GIS professionals. The data included in the exercises are typical drawings and maps used by local governments and municipalities. You work with road networks, parcel maps, sewer collection systems, water distribution systems, aerial photos, raster surfaces, and much more.

Exercises provide higher level process information throughout the exercise tasks. You are given information about not only what to do, but why you are doing it. In most cases, an image is included to help guide you.

64 Bit Database Drivers

On 64 bit systems, exercises that require a connection to an ODBC database need to have the proper drivers from Microsoft installed. If your system does not have these installed, you can download them from Microsoft. Go to [<http://www.microsoft.com>] and search for Microsoft Access Database Engine.

Be sure to download the 64 bit version of the Microsoft Access Database Engine. You do not need to have Microsoft Office installed to install these drivers or to complete the exercise in this book. However, if you have Microsoft Office installed it will need to be the 64 bit version of Office for the 64 bit drivers to install.

Table of Contents

Chapter 1	AutoCAD Civil 3D User Interface for GIS	1
1.1	Exploring the Civil 3D Tools for GIS	2
1.1.1	Navigating the Civil 3D Interface for GIS.....	10
Chapter 2	Creating Map Geometry	13
2.1	Lesson: Establishing Coordinate Systems in Drawings.....	14
2.1.1	Assigning a Coordinate System	19
2.1.2	Coordinate Tracking	20
2.1.3	Digitizing Points	21
2.2	Lesson: Creating and Inquiring COGO Data	23
2.2.1	Drawing with Transparent Commands	26
2.2.2	Line and Arc Information	28
2.2.3	Angle Information	29
2.2.4	Continuous Distance	29
2.2.5	Continuous Distance from a Base Point.....	30
2.2.6	Add Distance	31
2.2.7	List Slope	31
2.3	Lesson: Using Drawing Cleanup.....	33
2.3.1	Break Crossing Objects.....	38
2.3.2	Extend Undershoots	42
2.3.3	Delete Duplicates	43
2.3.4	Zero Length Objects	45
2.3.5	Dissolve Pseudo Nodes	46
2.3.6	Simplifying Objects	47
Chapter 3	Working with Attribute Data	51
3.1	Lesson: Attribute Data Concepts	52
3.2	Lesson: Defining Object Data Tables	57
3.2.1	Creating Object Data Tables	61
3.3	Lesson: Attaching Object Data to Objects	66
3.3.1	Attaching Object Data to Objects	70
3.3.2	Attaching Object Data While Digitizing.....	72
3.4	Lesson: Editing Object Data and Object Data Tables	75
3.4.1	Editing Object Data.....	80
3.4.2	Editing Object Data Tables.....	82

3.5	Lesson: Attaching External Databases	84
3.5.1	Attaching External Databases.....	88
3.6	Lesson: Working with Data View	89
3.6.1	Navigating in the Data View Table.....	92
3.6.2	Applying SQL Filters	93
3.7	Lesson: Defining a Link Template and Generating Links.....	98
3.7.1	Defining a Link Template	104
3.7.2	Attaching Database Data to Existing Objects	105
3.7.3	Attaching Database Data While Digitizing	107
3.7.4	Generating Links to Existing Blocks.....	109
3.7.5	Highlighting objects by selecting records.....	110
3.7.6	Highlighting table records by selecting objects.....	112
3.7.7	Using Spatial Filters	113
3.8	Lesson: Establishing the Dynamic Annotation Environment.....	115
3.8.1	Defining an Annotation Template.....	119
3.9	Lesson: Inserting and Managing Dynamic Annotation	122
3.9.1	Annotating Objects.....	125
3.9.2	Annotating Multiple Values	126
3.9.3	Updating Annotation.....	129
3.9.4	Rotating Annotation to Align with Objects.....	130
3.9.5	Adding Text to Annotation Expressions	132
3.9.6	Adding the Inch Symbol ("")	133
3.9.7	Adding Length to the Annotation Template	134
3.9.8	Controlling Precision	136
Chapter 4	Object Classification	139
4.1	Lesson: Creating Object Classification Definition Files and Object Classes	140
4.1.1	Log in as SuperUser	145
4.1.2	Create a New Definition File	146
4.1.3	Define an Object Class	147
4.2	Lesson: Classifying Existing Objects and Validating Standards	152
4.2.1	Classifying Existing Objects.....	156
4.2.2	Validating Classified Objects	157
4.3	Lesson: Creating New Classified Objects	158
4.3.1	Creating New Classified Objects	160

Chapter 5	Importing and Exporting	163
5.1	Lesson: Importing GIS Data.....	164
5.1.1	Importing an ArcInfo Coverage	167
5.1.2	Importing Polygons from an ArcView Shapefile	172
5.1.3	Creating Centroids.....	177
5.2	Lesson: Exporting GIS Data	179
5.2.1	Exporting Polygons to a SHP file	183
5.2.2	Export to and SDF File	185
5.3	Importing GIS Data as Civil 3D Objects.....	189
5.3.1	Creating a Surface from a Shapefile	191
5.3.2	Creating a Pipe Network from a SHP	195
5.4	Exporting Civil 3D Objects as GIS Data.....	203
5.4.1	Exporting Civil 3D Objects to an SDF File.....	204
Chapter 6	Connecting to Feature Sources.....	207
6.1	Lesson: Feature Source Concepts	208
6.2	Lesson: Connecting to SDF and SHP.....	212
6.2.1	Connect to and Add SDF Data.....	216
6.2.2	Connect to and Add SHP Data.....	219
6.3	Lesson: Working with Feature Layers.....	222
6.3.1	Working with Feature Layers.....	226
6.4	Lesson: Connecting to ODBC Point Feature Sources.....	229
6.4.1	Create a System DSN	232
6.4.2	Connect to a DSN, and Add Points to a Map.....	234
Chapter 7	Using Raster Images in Maps	237
7.1	Lesson: Inserting Raster Images	238
7.1.1	Inserting a Correlated Image.....	243
7.2	Lesson: Managing Raster Images	245
7.2.1	Adjust Image Display Properties	248
7.2.2	Clipping Images.....	248
7.2.3	Adding an Online Map	250
7.3	Lesson: Connecting to Raster and Raster Surfaces.....	253
7.3.1	Connecting to an Aerial Photo.....	258
7.3.2	Connecting to a Raster Surface	260


Chapter 8	Stylizing Features	263
8.1	Lesson: Stylizing Lines, Points, and Polygons	264
8.1.1	Stylizing Polygon Features	269
8.1.2	Stylizing Line Features.....	273
8.1.3	Stylizing and Labeling Point Features.....	274
8.2	Lesson: Stylizing Raster Surfaces.....	277
8.2.1	Stylizing Raster Features	282
8.2.2	Creating Contours from a Raster Surface	284
8.3	Lesson: Creating Scale Dependent Styles	285
8.3.1	Working with Scale Dependent Styles	289
8.4	Lesson: Applying Themes to Feature Layers	292
8.4.1	Thematic Mapping of Linear Objects with Object Data.....	296
8.4.2	Thematic Mapping of Polygon Features	299
Chapter 9	Working with Features	301
9.1	Lesson: Creating Feature Filters and Feature Queries	302
9.1.1	Performing a Filter to Select	306
9.1.2	Performing a Feature Query	307
9.2	Lesson: Editing Feature Geometry and Attributes	309
9.2.1	Editing Features	314
9.3	Lesson: Creating Joins	318
9.3.1	Create a System DSN.....	323
9.3.2	Join Tables, and Create a Thematic Map	325
9.4	Lesson: Using Constraints.....	330
9.4.1	Working with Constraints	334
9.5	Lesson: Bulk Copy Between Feature Sources.....	338
9.5.1	Exporting an SHP to an SDF	342
9.5.2	Bulk Copy from an SDF to an SHP.....	343
Chapter 10	Using Attached Source Drawings and Queries.....	347
10.1	Lesson: Managing Source Drawings.....	348
10.1.1	Managing Source Drawings.....	354
10.2	Lesson: Executing Location and Property Queries	359
10.2.1	Executing Location Queries	366
10.2.2	Executing Property Queries	372
10.2.3	Executing Compound Queries	374

10.3 Lesson: Executing Data Queries	378
10.3.1 Query by Pipe Size from Object Data	381
10.4 Lesson: Altering Properties During Queries	386
10.4.1 Execute a Query with a Property Alteration	389
10.5 Lesson: Using Save-Back	392
10.5.1 Execute Save-Back to Save Changes to an Attached Source Drawing	398
10.6 Lesson: Working with Multiple Coordinate Systems.....	401
10.6.1 Working with Source Drawings in Multiple Coordinate Systems.....	404
Chapter 11 Working with Topologies	407
11.1 Lesson: Creating Network Topologies	408
11.1.1 Creating a Network Topology	413
11.2 Lesson: Creating Polygon Topologies	417
11.2.1 Creating a Polygon Topology	421
11.3 Lesson: Performing Topology Analysis.....	427
11.3.1 Network Analysis	431
11.3.2 Performing a Buffer Analysis	433
11.3.3 Performing an Overlay Analysis	436
Chapter 12 Map Output	441
12.1 Lesson: Adding Dynamic Legends, Scale Bars and North Arrows.....	442
12.1.1 Adding a Dynamic Legend to a Layout	446
12.1.2 Adding a Dynamic Scale Bar to a Layout.....	449
12.1.3 Adding a Dynamic North Arrow to a Layout	452
12.1.4 Adding a Coordinate System Grid to a Layout.....	454
12.2 Lesson: Creating Map Books.....	456
12.2.1 Creating a Map Book.....	460
12.2.2 Navigating Through the Map Book	464
12.2.3 Publishing the Map Book.....	465

5.1 Lesson: Importing GIS Data

Introduction

Importing GIS file formats into Civil 3D opens the door to a tremendous amount of data. Much of this data is free, and can be integrated into your mapping system. In this lesson, you begin by learning the formats and types of data that can be imported into Civil 3D, and guidelines around integrating other mapping data into your mapping system. You then import an ArcView SHP file into Civil 3D.



Key Concepts

Concepts and key terms covered in this lesson are:

- Import
 - Geometry
 - Attributes
 - Coordinate Systems
- Import dialog box

Objectives

After completing this lesson, you will be able to:

- Describe what Map Import is.
- List the components that can be imported, and how Civil 3D interprets incoming data.
- Identify and explain the tools used to import GIS data.
- Import street segments with Object Data.
- Import zoning polygons with an external data source.

About Importing GIS Data into Civil 3D

GIS Data generally contains three types of data: geometry, attributes, and the coordinate system it was created in. Using the map import tools, you can define how Civil 3D interprets and imports all three types of data.

The Map Import commands are used to convert other GIS formats into AutoCAD objects with attributes. These new AutoCAD objects are saved in the drawing file, with no link to the original GIS source.



Civil 3D can also connect to data as a feature source and work with these files in their native format. This functionality is covered in another lesson.

Geometry

All GIS formats are different. Civil 3D imports the data in such a way as to represent the native format as closely as possible. An example of this functionality is when importing line data from an ArcView shape file, any segments in the incoming file that have vertexes are imported as polylines, while those that are simple lines with a start and endpoint are imported as lines.

Points can be imported as either AutoCAD points, or blocks that are defined in the drawing.

Attributes

Attributes that are associated with incoming data can be mapped to Object Data, or can be imported to an attached data source, such as a Microsoft Access database table, and linked to the objects at the same time.

Coordinate Systems

If the incoming file has coordinate system information associated with it, either within the file itself, or a companion file, Civil 3D will read this information and convert the coordinates to the target drawing file. If there is no coordinate system information in the incoming file, you can assign a coordinate system to it during the import procedure.

Spatial Filters

Some GIS applications can manage larger data sets than can be reasonably managed within Civil 3D. Spatial filters enable you to limit the amount of data that you import based on a location in the current map.

Guidelines for Preparing for Map Import

You can start a new drawing and simply import data. In most cases, you want to prepare a target drawing with layers, Object Data tables, or attached data sources that will receive the incoming data. This is especially true if your office has mapping standards that must be adhered to, or if you are importing into an existing drawing that already has all the layers, Object Data tables, or attached data sources present.


Another important point when preparing for an import is to have some familiarity with the incoming data. This may come from metadata or documentation of some kind. The best way to qualify the incoming data is to use the native application to review. However, this is not always possible, in which case the import process might be a trial and error process until you can make the correct settings for the final import.



If you perform the same type of import regularly, you can save a profile of the settings and load the profile each time you perform an import. You can also create a drawing template that has all of the definitions such as Object Data tables, layers, blocks and so on.

The Import Interface

Once the target file is prepared, and the incoming data is qualified, the entire import procedure is performed in a single interface with various dialog boxes for the settings.



Exercises: Import Data from Other GIS Formats

In these exercises you will import street centerlines that were sent to you as an E00 file. An *ArcInfo* coverage may either be stored as a directory of related files, or exported into a single E00 export file from ArcInfo or ArcGIS, as in this exercise.

Then you will, import parcel polygons from an ArcView Shapefile and convert their coordinate system.

Finally, you will create centroids and move the attached data from each polyline to the corresponding centroid. This is the first step in the process of cleaning the geometry, an important process whenever base map data is imported.

The use of the import command is very similar for all the different types of supported GIS data file formats. However, there are some differences depending on the type of geometry that is contained in those files (points, lines, or polygons).

You do the following:

- Import streets from an E00 file.
- Import parcels from an ArcView shape file and convert its coordinate system.
- Create centroids for the parcel polygons.


5.1.1 Importing an ArcInfo Coverage




For these exercises you should be in the *Planning and Analysis* workspace

In this exercise you will import street centerlines that were sent to you as an E00 file. An *ArcInfo* coverage may either be stored as a directory of related files, or exported into a single E00 export file from ArcInfo or ArcGIS, as in this exercise.

1. Press **Ctrl + N** and select the template **map2d.dwt** from the folder *Map Book Templates*, to start a new, blank drawing.
2. Select **Ribbon: Insert ⇒ Import ⇒ Map Import**.




The *Import Location* dialog box opens.



3. Set the file type to **ESRI ArcInfo Export (E00)**.
4. Browse to the **Chapter 05** folder, select **streets.e00**, and click **<<OK>>**.

In the *Import* dialog box you can configure the *Layer*, *Coordinate Conversion*, and *Data* options that you wish to use to import the information into *AutoCAD*.





5. Ensure that the **STREETS_arc** Input Layer is selected.
6. Click on the **Drawing Layer** field in the **STREETS_arc** row, to activate the **More button <<...>>**.
7. Click the **More button <<...>>** to launch the *Layer Mapping* dialog box.

Here you can choose to import the drawing objects onto an existing layer, create a new layer, or select a column of data from the file that you are importing to determine the layer names. This last option will allow you to do some basic thematic mapping during the import of the objects. For example, if you were importing parcel data and that data set had a column for zoning. You could have the import command create a new layer for each zoning type and place each parcel on the appropriate layer for its zoning designation. (See *Additional Exercises* at the end of this chapter for more information).

In this exercise, you will place all of the streets on one new layer.

8. Choose the **Create on new layer** option to activate the text box.
9. Enter **"Streets"** for the layer name.
10. Click **<<OK>>** to return to the *Import* dialog box.




11. Click on the **Data** field in the **STREETS_arc** row to activate the **More button <<...>>**.
12. Click the **More button <<...>>** to launch the *Attribute Data* dialog box.

Here you specify what attribute data to import and where to store it. You can enter the desired name for the *Object Data Table* and select the desired fields to import. This is the step that allows you to bring the intelligence of the GIS file along with the geometry into *AutoCAD*. By creating the object data table and populating it with the information provided in

the coverage you will be able to click on a street and find the street name, type, speed limit, and any other information that was added by the GIS department. This will also allow you to edit the geometry and data from the GIS file in *AutoCAD* and then export it back to any of the supported GIS formats without losing any of the attached data. If you leave the *Data* option set to *None* or *Do not import attribute data*, then you will only import the geometry of the file and you will lose all of the attached information.

13. Choose the **Create object data** option to activate the *Object Data* section.
14. Change the **Object Data** table name to **Streets**.
15. Click <<**Select Fields**>>.




Here you specify which fields to import into the *Object Data* table.

16. Deselect all **Input Fields** except **NAME_FULL**, **TYPE**, **SPEED**, **OWNER**, **PAVED**, and **FCLASS**.

You only need to import the fields that you want to have available. So if there is extraneous data that you don't need, you can skip it and keep the file size smaller.

It is also important to understand that many GIS programs store geometric data, like length and area, in data tables, while in *AutoCAD* the geometry is a physical property of the object. In this example, if you were to import the length field, it would be a static value in the object data table and would not update if the length of the line is altered.

17. Click <<**OK**>> to dismiss the *Object Data Mapping* dialog box.
18. Click <<**OK**>> to dismiss the *Attribute Data* dialog box.
19. Click <<**OK**>> in the **Import** dialog box to import the file.




The streets are imported into the drawing as polylines, with the GIS data attached as *Object Data*.


20. Once the 287 objects are imported, zoom to Extents.



21. Select **Ribbon: Tools ⇒ Map Edit ⇒ Edit Object Data**.



22. Pick a line segment anywhere in the drawing.




Here, you can view the object data associated with the line segment you picked. You can also change the value of any field in this object's data, or even add a record to a new or existing object. It is also possible to view and edit object data as an *AutoCAD* property.

23. View the object data associated with a few other line segments.

24. Click **<<Cancel>>** once you are through viewing the fields, to avoid saving any inadvertent changes.

25. **Save the** drawing as **Streets** in the **Chapter 05** folder.

5.1.2 Importing Polygons from an ArcView Shapefile

 For this exercise you should be in the *Planning and Analysis* workspace.


In this exercise you import parcel polygons from an ArcView Shapefile. This Shapefile geometry resides in a different coordinate system, and will be converted during the import process.

1. Open **City Taxlots OD.dwg** from the **Chapter 05** folder.


This drawing contains the city taxlots file that you worked with in previous chapters, with the *Tax/ot* attribute data as object data, attached to the centroids.

The county taxlots you are about to import are in a different coordinate system, which Civil 3D will convert during the import process. The first step is to assign the correct coordinate system to the base map.

2. Select **Ribbon: Map Setup ⇒ Coord System ⇒ Assign**.



3. Click **<<Select Coordinate System>>** in the **Current Drawing** section, to open the *Coordinate System - Assign* dialog box.



4. From the **Category** list, select **USA, Oregon**.
5. From the list, select **OR-S NAD27 Oregon State Planes (Polyconic), South Zone, US Foot**.

Notice the column of codes on the left, and that the code for the selected coordinate system is *OR-S*.



Once you become familiar with commonly used coordinate systems in your region, you can learn the short codes and simply enter them in the *Coordinate System - Assign* dialog box.

6. Click **<<Assign>>** to assign the **Global Coordinate System**.


The drawing is now identified with the *NAD 27 State Plane* coordinate system - no conversion has occurred, you have simply assigned that coordinate system to this drawing. The *Ribbon* now displays the *Geolocation* tab. .

Next, you will import the county GIS data, which is in a different coordinate system, and *Civil 3D* will convert it to this coordinate system.

7. Select **Ribbon: Insert ⇒ Import ⇒ Map Import**.




The *Import Location* dialog box opens.




8. Set the file type to **ESRI Shapefile (*.shp)**.
9. Navigate to the **Chapter 05** folder and select **TL_C_83**.
10. Click **<<OK>>** to launch the *Import* dialog box.

Here you specify all import parameters.



11. Click on the **Drawing Layer** field in the **TL_C_83** row to activate the **More button** <<...>>.
12. Click the **More button** <<...>> to open the *Layer Mapping* dialog box.




13. Choose the **Create on new layer** option to activate the text field.
14. Enter **Taxlot_County** for the new layer name.
15. Click <<**OK**>> to return to the *Import* dialog box.

Notice that the *Current drawing coordinate system* (the base map into which you are now importing this *ESRI Shapefile*) is in NAD27, which you set at the beginning of this exercise.

Also notice that the *Input Coordinate System* is showing OR83-SF, which is the code for *NAD83 Oregon State Planes (Polyconic), South Zone, US Foot*.

Civil 3D is getting this information from the PRJ file, that accompanies the .SHP file. This file contains the coordinate system information. When you acquire shapefiles from others, always ask for coordinate system information. If there is not an accompanying PRJ file, but the coordinate system is known, you could use the More button <<...>> in the *Input Coordinates* field to select it manually, using the *Coordinate System Library*.





16. Click on the **Data** field to activate the **More button** <<...>>.
17. Click the **More button** <<...>> to open the *Attribute Data* dialog box.
18. Choose the **Create object data** option to activate the *External Database* section.
19. Select **Parcels** from the **Object data table** list.

The object data table exists in the City Taxlots OD drawing.

Civil 3D will add the new records to the existing object data table during the import process.

20. Click <<**OK**>> to return to the *Import* dialog box.






21. **Enable the Import polygons as closed polylines option.**

This will create each taxlot as a closed polyline, as opposed to a polygon object.

22. Click **<<OK>>** to import the file.

Civil 3D will process 396 objects and import them into the current drawing, and append 396 corresponding records to the attached database.


23. Zoom to Extents. Your drawing should look like this:



The county parcels have been imported and converted to the coordinate system of the city taxlots drawing.


24. Save the drawing as **Regional Taxlots.dwg** in the **Chapter 05 folder**.

5.1.3 Creating Centroids


 For this exercise you should be in the *Planning and Analysis* workspace.


In this exercise you will first create centroids and move the attached data from each polyline to the corresponding centroid. This is the first step in the process of cleaning the geometry, an important process whenever base map data is imported.

1. Continue working in the **Regional Taxlots.dwg** that you created in the last exercise.
2. **Freeze** the **Taxlots** and **Centroid** layers to isolate the *Taxlot County* layer.
3. Select **Ribbon: Create** ⇒ **Drawing Objects** ⇒ **Create Centroids**.




The *Create Centroids* dialog box opens.




4. In the **Create Centroids in section**, choose **Selected only**:
5. Click the **select objects** button 

This temporarily closes the dialog box so you can pick the objects.


6. Pick all the polygons with a crossing window and press **Enter**.



7. Click the New Layer button  to make the layer **Centroid_County** on which to create the centroids.
8. Confirm that **ACAD_POINT** is selected in the **Create using** field.
9. Click **<<OK>>** to create a centroid for each closed polygon.

This creates a point at the geometric center of each polygon and moves the data from the polyline to the new centroid.

10. Pick one of the new centroids, then right-click and select **⇒ Properties**.
11. In the *Properties* palette, scroll to the bottom and notice the attribute data from the SHP file is now attached to the tax lot centroids.



12. Save the Drawing.

Lesson Review

In these exercises you imported street centerlines that were sent to you as an E00 file. An *ArcInfo* coverage may either be stored as a directory of related files, or exported into a single E00 export file from ArcInfo or ArcGIS, as in this exercise.

Then you imported parcel polygons from an ArcView Shapefile and converted their coordinate system.


Finally, you created centroids and moved the attached data from each polyline to the corresponding centroid. This is the first step in the process of cleaning the geometry, an important process whenever base map data is imported.

7.3 Lesson: Connecting to Raster and Raster Surfaces

Introduction

Connecting to raster data as a feature source is similar to inserting images using *Image Insert*. In each case, the file is only referenced and not part of the drawing itself. In this lesson, you also learn the differences between these two methods and the advantages of using the feature source connection. You also learn about the tools that are used to connect to a raster image, and then connect to a raster image.

Connecting to raster surfaces is similar to connecting to raster images. The main difference is that raster surfaces contain elevation data associated with each pixel. Civil 3D uses this method for simple surface analysis and visualization as part of the feature source. In this lesson, you learn the basic concepts of raster surfaces, the types of files that you can access, and how raster surfaces can be used as part of your mapping system. You then connect to a digital elevation model, and add it to your map.



Key Concepts

Concepts and key terms covered in this lesson are:

- Raster feature sources
- Raster surfaces
- Viewing raster surfaces in 3D
- Draping raster and vectors over surfaces

Objectives

After completing this lesson, you will be able to:

- Describe what a raster feature source is.
- List the types of raster formats that can be accessed.
- Explain how raster surfaces can be used.
- Connect to an ortho photo.
- Connect to a raster surface.
- Drape vectors and raster over a raster surface.

Raster Feature Source Concepts

You can use raster data in Civil 3D through the Map Image Insert command and by connecting to raster as a feature source. There are some very powerful reasons to use a feature source connection rather than inserting raster:

- Performance
- File formats
- Coordinate conversion


Performance

The performance of raster as a feature source is much better than that of raster inserted in a drawing. In some cases this performance enables access to raster that otherwise cannot be used because of file size.

File Formats

Connecting to raster as a feature source opens a larger selection of geospatial-based file formats to work with. In addition to the formats that are offered directly in standard Civil 3D, the fact that the feature data objects (FDO) technology is open source enables developers to write additional FDO providers to access even more file formats.

The following illustration shows the file formats available in the Map Image Insert command. While it offers a wide variety of file formats to select from, when considering the geospatial specific formats, it is fairly limited.



The following illustration shows the file formats available when connecting to raster as a feature source. The formats available through this method are especially useful for geospatial applications.

Raster Type	Formats
Raster-based surfaces	DEM (Digital Elevation Model), ESRI Grid, or Digital Terrain Elevation Data (DTED)
2D raster	JPEG and JPEG2K (Joint Photographic Experts Group), PNG (Portable Network Graphic), MrSID (Multi-Resolution Seamless Image Database), TIFF (Tagged Image File Format), ECW (Enhanced Compressed Wavelet)
WMS raster	Maps on a server
Other raster formats	BMP, CALS-I, ECW, FLIC, GeoSPOT, IG4, IGS, IKONOS, JFIF, LANDSAT FAST, L7A, NITF, PCX, PICT, Quickbird TIFF, RLC 1 and 2 , TARGA


Coordinate Conversion

Connecting to raster as a feature source enables the coordinates of the raster to be converted to the coordinates of the current drawing. This is a very important distinction between connecting and inserting raster. When using Map raster insert, whatever the coordinates of the raster are determines the coordinates of your map. This is very limiting when compared to the coordinate conversion available using a raster feature source connection.

Raster Surface Concepts


When working with raster as feature sources, the process and procedures to connect and add both standard raster and raster surfaces are the same.

Both types of raster are composed of pixels. In the case of raster surfaces, each pixel has a Z value rather than a value such as grey scale or color that produces a “picture”. Civil 3D can interpret the Z values in a raster surface, and produce three dimensional views and analysis.



Raster Feature Layers

When a raster is connected to, and added to a map, the management of the feature layer is the same as that of vector based feature layers.



Working with Raster Surfaces

There are several tools available to take advantage of the elevation data that is inherent in a raster surface. These tools include creating contours, slope, aspect, and elevation analysis, draping, and assigning exaggeration values to the elevations. In this lesson, you work with draping and exaggeration.

Draping

Draping refers to vector and raster objects which adopt the three dimensional characteristics of the underlying surface. By default, when a raster surface feature layer is present in a drawing, all other feature layers, both vector and raster drape over the raster surface depending on the draw order of the feature layers.




AutoCAD objects do not drape over raster surfaces.

Exaggeration

Exaggeration can be applied to raster surfaces to create a more impactful representation of the terrain when needed.

In the following illustrations, the image on the left is a raster viewed in 3D with no exaggeration. The image on the right is the same raster surface with an exaggeration value of 3x.



Exaggeration should be used sparingly. It often dramatically misrepresents the map.


Exercises: Connecting to Raster and Raster Surfaces

In these exercises, you start in a drawing that has a parcel feature layer connected. You connect to a raster image of an ortho photo of the area of interest. You then connect to a raster surface, change the draw order, and view the map in 3D.

You do the following:

- Connect to a raster image and add it to the map.
- Change the draw order to view the parcels on top of the raster.
- Connect to and add a raster surface to the map.
- Set the draw order to drape the parcels and ortho photo over the surface.


7.3.1 Connecting to an Aerial Photo

 For this exercise you should be in the *Planning and Analysis* workspace.


1. Open the drawing **Connect to Raster.dwg** from the **Chapter 07** folder.


In the first series of steps, you connect to the raster image and add it to the map.


2. If the **Task Pane** is not visible, at the command line enter:
Command: MAPSPACE.
3. At the command line, enter **ON** to display the *Task Pane*, which includes the *Display Manager*.
4. In the **Display Manager**, confirm that the **Groups** button is selected.
5. In the **Display Manager**, click the **Data** button, and then select ⇒ **Connect to Data...** .



The *Data Connect* palette opens. Here you can select from many different data providers or sources. In this exercise you will be connecting to a raster image file.



6. From the *Data Connections by Provider* list, select **Add Raster Image or Surface Connection**.
7. Change the *Connection name*: to **Ortho**.
8. Click the file button  and browse to: **C:\A Practical Guide\GIS in Civil 3D 2018\Chapter 07**, and select **Aerial.tif**.
9. Click **<<Connect>>**.



10. Click <<Add to Map>>.
11. Close the *Data Connect* palette.

Notice the *feature* layer *Aerial* now appears in the *Display Manager*. A layer in the Display Manager is different than an *AutoCAD* layer; it is the name of a data source and where you manage its properties.


Notice the aerial photo is on top of the parcels.

12. In the **Display Manager**, select the **Draw Order** button.

The list of feature layers is displayed in the current draw order. The order these are listed in matches the feature layers in the drawing.

13. Drag the **Parcels** feature layer above the **Aerial** layer.

The first time you change the sequence of the *Display Map Draw Order* list in a drawing, an alert is displayed, informing you that the *Draw Order* list will now control the visual display of feature layers.



14. Click **Continue action and allow Draw Order to control layer position from now on**.

15. Zoom into the map to view the image with the parcels overlaid.
16. Save the drawing for use in the next exercise.

7.3.2 Connecting to a Raster Surface

In this exercise you connect to and add to the map an elevation enabled raster, or raster surface. Once the surface raster is added to the map, you change the draw order, and view the map in 3D. Any feature layer that is on top of the surface will automatically drapes over the surface.

1. Continue working in **Connect to Raster.dwg** from the previous exercise.

If you did not complete the previous exercise you can open the drawing **Connect to Surface.dwg**.

2. Connect to a Raster Surface. Repeat Steps 5-11 from the previous exercise using the following information:
 - For the Connection Name enter **Elevation**
 - Connect to the file **Existing Ground.dem** in the **Chapter 07** folder
3. In the **Display Manager**, select **Draw Order**.


The list of feature layers is displayed in the current draw order. The order these are listed in matches the feature layers in the drawing.

4. Drag the feature layers to match the following order:
 - Parcels
 - Aerial
 - Existing Ground

To view the Parcels and Aerial features draped over the Existing Ground DEM feature, you need to switch the drawing editor from 2D to 3D views. The tools to switch views reside on the *Map Status Bar*. In the standard, out-of-the-box installation of Civil 3D, this status bar is not displayed by default. The display of the *Map Status Bar* is controlled by a system variable.


5. Enter **MAPSTATUSBAR** on the *Command Line*, and select **<Show>**.

The *Drawing Status Bar* now shows additional tools for some *AutoCAD Map 3D* functions, such as 2D / 3D Viewing, Vertical Exaggeration, Coordinate Systems and View Scale.



- In the *Drawing Status Bar*, click the **3D** icon.


The drawing is displayed in 3D.



- In the Status bar, for *Vertical Exaggeration*, select **2x**.

Note: It might take a few moments to optimize the layer.

- Zoom into the drawing to view how the raster and parcels are draped over the surface raster.
- Experiment with various Vertical Exaggeration values and 3D viewing angles.
- In the **Display Manager**, turn the **Aerial** image off, and notice how the vector data in the *Parcels* layer are draped over the surface.



NOTE: Be careful when applying Vertical Exaggeration, and use it sparingly. While it can help visualize terrain in relatively flat areas, it can dramatically misrepresent actual conditions.

Lesson Review

In these exercises you integrated three different sources of data. Vector based parcels, an ortho photo, and a surface. Together, these sources of data were combined to view how the parcels and the image drape over the existing ground terrain.

Index

3D Modeling Workspace	8	Datums	15
3D Navigation	282	Define Object Data	59
Add Data to a Map	218	Digital Elevation Model	257, 281
Adding New Features	316	Display Manager	6
Altering Properties	390	Drafting & Annotation Workspace	8
Anchors	36	Drafting Settings	9
Angle Data	25	Draping	260, 284
Annotation Blocks	118	Draw Order	227, 250
Annotation Template	118	Drawing Cleanup	415
Attach Object Data	59, 66, 69	Drawing Locks	357
Attribute Data	52, 53	Drive Aliases	354
AutoCAD Attach	244	Duplicate Objects	35
AutoCAD Options	9	Dynamic Annotation	116
AutoCommit	90	Edit Feature Attributes	313
Automatic Check In	314	Edit Feature Geometry	313
Automatic Checkout	314	Edit Object Data	59, 75, 76, 78
AutoSave	9	Editing Attributes	315
Best Route	433	Editing Existing Features	316
Bitonal	242	Editing Object Data Tables	79
Block Attributes	55	Editing Transaction Model	397
Bulk Copy	342	Error Markers	425
Cancelling Checkout	315	Export file types	182
Capture Area	255	Export Process	184
Centroid	422	Exporting	181
Check-In/Checkout	314	Exporting Civil 3D Objects	206
Civil 3D Workspace	8	Expression Builder	307, 308
Classifying Existing Objects	155	External Data Sources	53
Clustered Nodes	35, 416	External Databases	84
COGO Inquiry	24	Feature Class	216
Command Line	10	Feature Filters	306
Compound Queries	368	Feature Joins	323
Connecting to ODBC	231	Feature Layer	217, 224
Connecting to Raster	261	Feature Layer Selectivity	227
Constraints	334	Feature Queries	306
Contextual Ribbons	5	Feature Source	210, 213
Contours	285	Feature Source Connect	214, 245
Convert Coordinate Systems	407	Feature Styles	268
Coordinate Conversion	259	Feature Thematic Maps	297
Coordinate Geometry	24	Filter to Select	309
Coordinate System	17, 167, 216, 234, 405	Flood Trace	433
Coordinate System Grid	458	Generating Links	86, 98, 100, 102
Coordinate Tracker	18	GIS Contours	192
Correlation Files	243	Global Coordinate Systems	15
Create scale ranges	293	Grey Scale	243
Creating New Classified Objects	160	Hillshading	283
Creating New Features	315	Image Behavior	250
Crossing Objects	35, 416	Image Correlation	245
Current Drawings	353	Image Frames	250
Data Panel	401	Image Insert	245
Data Queries	382	Import Attributes	167
Data Source	85	Import Coordinate Systems	167
Data Source Name	234	Import Geometry	167
Data Table	225	Import Interface	168
Data Table Tools	226	Import Spatial Filters	167
Data View	89	Inserting Dynamic Annotation	123

Joins	322	Raster Surface	243, 259
Layout Elements	447	Raster Surface Styles	282
Legend	447	Raster Surface Themes	284
Line Feature Styles	272	Raster Surfaces	257
Link Template	85, 98, 100, 101	reference grid	449
Linking External Databases	85	Reference Management	250
Links	413, 422	Reference System	449
Location Queries	363, 366	Refresh Annotation	119
Manually Link	102	Relational Data Base Management Systems	213
Map Book Dialog	463	Ribbon	4, 225
Map Book Template	461	Save-Back	396
Map Books	445, 446	Save-Back Options	399
Map Explorer	6, 336	Saved Queries	369
Map Status Bar	264	Scale Bar	448
Network Analysis	432	Scale Dependent Styles	289
Network Topologies	412	Scale Ranges	270
Nodes	413, 422	Schema	343
North Arrow	448	Schema Editor	336
Object Class Objects	161	Shortest Path	432
Object Classes	156	Source Drawings	352
Object Classification	141, 142, 160	SQL Queries	383
Object Classification Definition File	143	Style Editor	268
Object Data	54, 57, 67, 167, 383	Style Editor Palette	270
Objects	211	Style Scale Ranges	268
ODBC	231	Styles	270
Online Map	254	Stylize Raster Surfaces	281
Open Data Base Connectivity	233	Stylizing features	268
Pipe Network	192	Surface	192
Planning & Analysis Workspace	8	Surface Exaggeration	261, 282
Point Feature Styles	271	Task Pane	5, 226, 356
Polygon Feature Styles	272	Theme Feature Labels	299
Polygon Overlay	434	Theme Legend Labels	299
Polygon Topologies	421	Theme Ramps	299
Projection	15	Themes	296, 391
Properties Palette	76	Tolerance	36
Property Alteration	392	Topology Analysis	431
Property Queries	363, 367	Topology Object Data	414
Pseudo Nodes	35	UDL file	85
Quick View	355	Update Annotation	119
Ranges and Styles	291	User Interface	1
Raster	241, 242, 257	Validating Standards	153, 334, 337, 391
Raster Feature Layers	260	Vector Objects	242
Raster Feature Source	258	Viewing Linked Data	103
Raster Metadata	244	Workspaces	8